

■ 生产企业许可证编号:粤食药监械生产许 20235257号
SFDA registration code:GD20235257

■ 本宣传资料图示为本公司部分产品，颜色及款式仅为参考，以实物为准，最终解释权属本公司，如有更改，恕不另行通知!
This promotional material is shown as part of the companyundefineds products, color and style for reference only, subject to the final interpretation of the right to our company)
subject to change without notice!

DENGNUO® 登诺
Make Smile More Confident 让微笑更自信



DENGNUO® 登诺
佛山市登诺医疗器械有限公司
Foshan M&Y MedicalInstrument Co., Ltd

地址(Add): 广东省佛山市南海区丹灶镇金北路联沙洲头开发区
Liansha zhoutou Development Zone , Danzao Town
Nanhai District , Foshan City , Guangdong , China
电话(Tel): +86-757-86404229
传真(Fax):+86-757-83208312
邮箱(Email): info@my-medicalgroup.com
公司主页(Web): www.mydentalchina.com





佛山市登诺医疗器械有限公司是一家专注于口腔科医疗器械研发、生产及销售的综合型企业，经广东省食品药品监督管理局批准注册，致力于为全球牙医及牙科专业人士提供安全高效、性价比高的牙科产品，并拥有注册商标 DENGNUO 和 M&Y。

公司自主品牌有牙科手机、喷砂洁牙机、氧化铝喷砂系统、气动洁牙机及相关系列配套产品，DENGNUO 系列喷砂洁牙机和氧化铝喷砂系统具有款式新颖、出砂流畅、使用方便等优势，内部都设计运用了防回吸装置，从而保护牙椅保护人！有效的避免了传统喷砂洁牙机砂粉易倒流、枪头易堵塞、砂水难分离等一系列诟病，并获得了多项国家实用新型专利，产品远销中东、欧美、东南亚等多个国家和地区，受到广大医护人员的一致认可和青睐。另有多项新产品还在不断更新中。

随着公司的发展和新老客户选择的多样性，本公司还生产销售诊室集尘箱、超声波洁牙机、洁牙机配件、负压抽吸系统、强弱吸手柄、树脂加热器及各种进口管线等第一、二类口腔科设备和配件。


创建一流品牌、制造一流产品、提供一流服务是登诺医疗不懈的追求，我们愿同各界新老客户一起，求合作、谋双赢、同发展，共创美好的未来！






Foshan M&Y Medical Instrument Co., Ltd is a comprehensive enterprise that focuses on the development, production and sales of oral medical devices. It is registered by the Guangdong Food and Drug Administration and is committed to providing safe and efficient dental products for dentists and dental professionals around the world., And has registered trademarks DENGNUO and M&Y.

Our company has its own brand of dental handpiece,Air prophy unit/machine , Aluminum sandblasting and related series of supporting products, DENGNUO series Air prophy unit/machine , Aluminum sandblasting has the advantages of novel style, smooth sand, easy to use, etc.. The internal design and use of anti-sucking device, so as to protect the seat protector! It has effectively avoided a series of criticisms such as traditional sandblasting and cleaning machines, which are easy to reverse the flow of sand powder, easy to block the head of the gun, and difficult to separate the sand and water, and has obtained a number of national utility model patents. The products are exported to the Middle East, Europe, the United States, and Southeast Asia Countries and regions, It is unanimously recognized and favored by dentist.

With the development of the company and the diversity of new and old customers, The company also operates and sells mechanic collection of dust boxes, Air scaler, portable X-ray machines, ultrasonic scaler, scaler accessories, suction system, strong and weak suction handles and various import tubes and other first and second oral equipment and accessories.

Creating first-class brands, manufacturing first-class products, and providing first-class services are the unrelenting pursuit of M&Y Medical Services. We are willing to work with new and old customers from all walks of life to seek cooperation, win-win results, and development to create a better future!







Ortho Microblaster



Microblaster Plus



AIR ABRASION MASTER 2IN1



AIR ABRASION MASTER WPL



AIR ABRASION MASTER WKD



AIR ABRASION MASTER OTS



XP AIRFLOW



PROPHY-MATE



Air Jet



JET PRO



MYProtector



DuoFlex Prophy Jet



Air prophy P02



Easy-jet P01S



Rainbow P01

New

DuoFlex Prophy Jet

Your Perfect Chairside Partner
A New Level of Air Polishing&sandblasting — DuoFlex Prophy Jet,
for Effortless Air Polishing &sandblasting Freedom!

Teeth
whitening

Implant
Maintenance

Aesthetic
Restoration

Subgingival
Cleaning

Device Main Components



Product applications

Supragingival Cleaning

For tooth Cleaning, 50um - 90um sodium bicarbonate,calcium carbonate, glycine or other water soluble powders can be used. It can efficiently clean adult dental fluorosis, stains, soft deposits, and provide a more comfortable treatment at the same time.




Subgingival Cleaning

For subgingival Cleaning, 14um - 27um glycine or erythritol powder (more gentle and water - soluble) can be used. It is suitable for children, periodontal repair systems, and implant maintenance.



Aesthetic Restoration

For aesthetic restoration, 27um - 90um aluminum oxide powder can be used. It can be used for cleaning and roughening the surface of bonding materials, such as metal/crowns, fiber - reinforce ,Inlay/Onlay, Crown/Bridge , etc.



Standard Operating Procedure



Install the bracket



Install under tray



Connect the Handpiece hose& prophy jet hose.



Fill the powder and install the handle as required.




Turn the switch upward (Working status)




Turn the switch downward (Cleaning)

Principles and operating methods

Use high pressure air flow. After passing through the sandblasting equipment, special sand powders (such as sodium bicarbonate, glycine powder, etc.) and water form a sprayed mist on the surface of teeth, implant abutments or oral prostheses.



Inner ring: Air & Sand Powder
Cleaning, Treatment, Polishing



氧化铝喷砂枪

ALUMINUM OXIDE SANDBLASTER

高效去除粘结剂 强力增加粗糙度 提升粘结力400%以上 正畸美学修复必备品

Efficiently removes adhesive, strongly increases roughness, and improves bonding strength by more than 400%.



提供两种接管方式
TWO TYPE CONNECT WAY

技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	AIR ABRASION MASTER OTS
对应接头 (Connect)	2孔、4孔 (2Hole、4Hole)
供气压力 (Air pressure)	0.7-2.0bar (700-2000hPa)
使用粉末 (Use Powder)	氧化铝粉 (Alumina Oxide Powder) 30-90μm



氧化铝喷砂粉可以对瓷、树脂、纤维桩及托槽等包括金属表面进行均匀微粗化处理，以提高粘接强度。

口外应用:

用于粘接前表面清洁和微粗化处理如金属/瓷冠、纤维桩、嵌体/高嵌体、马里兰桥正畸托槽和支架、二次粘接前去除原有粘接层水门汀及金属铸造修复体缺陷检测。

口内应用:

瓷或树脂修复体缺损再修复治疗中的表面微粗化。

The Air abrasion master use aluminum Oxide powderFor porcelain, resin, fiber posts and brackets etc.including the metal surface uniform micro rougheningtreatment, to improve the adhesive strength.

Extraoral application:

Used for cleaning andcoarsening of the surface before bonding.Metal/porcelain crown、Fiber post、Inlay / highinlay、Maryland Bridge、Orthodontic brackets andstents.The removalof the original cement adhesive layer twotimes before bonding.
Defect detection of metal casting repair body

Intraoral applications:

surface microcoarseninginthe treatment of porcelain or resin restoration

正畸美学修复必备品

IT IS A MUST-HAVE FOR ORTHODONTIC AND AESTHETIC RESTORATIONS.



2合1氧化铝喷砂枪

2IN1 ALUMINUM OXIDE SANDBLASTER WITH WATER COOLING

带喷水冷却功能 可喷氧化铝粉 喷砂洁牙粉

Alumina oxide powder & tooth cleaning powder can be used



技术参数 (TECHNICAL PARAMETER)

产品型号 (Model)	AIR ABRASION MASTER 2IN1
对应接头 (Connect)	2孔、4孔 (2Hole、4Hole)
供气压力 (Air pressure)	0.3-0.6kgf/cm ²
使用粉末 (Use Powder)	氧化铝粉 (Alumina Oxide Powder) 30-90μm
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



枪头可360度旋转
Nozzle can rotate 360 degrees

钨钢枪头, 坚固耐用
Tungsten steel nozzle, sturdy durable



水气分离, 不易堵枪
Water Air separation, not easy block



安全开关, 工作更安心
Air Lock Switch, Work more safely



带防回吸, 不损坏牙椅
Anti-suckback, no damage to the dental chair

功能一:

使用氧化铝粉可直接用于口内局部微糙化操作或口外粘接前表面清洁微糙化处理。

Application 1:

Aluminum oxide powder can be directly used for local roughness treatment inside the mouth or surface cleaning and roughness treatment before external bonding.



功能二:

使用碳酸氢钠洁牙粉可用于口内牙齿清洁、抛光等。

Application 2:

Sodium bicarbonate teeth cleaning powder can be used for oral teeth cleaning, polishing, etc.



2合1氧化铝喷砂枪快接款

2IN1 ALUMINUM OXIDE SANDBLASTER WITH WATER COOLING FIT NSK PTL QUICK COUPER

氧化铝粉.喷砂洁牙粉通用.喷砂洁牙.正畸美学修复二合一

Alumina oxide powder and teeth cleaning powder are commonly used
Sandblasting teeth cleaning, orthodontic aesthetic restoration two-in-one




带喷水设计，具有冷却功能

With water spray cooling system



可拆卸喷嘴，方便更换消毒

Removable nozzle for easy replacement and dredging



安全开关装置,可单独控砂粉喷出

Air lock switch can independently control powder ejection

功能一： 使用氧化铝粉主要应用于粘结前的表面清洁和微粗化处理全瓷类、金属类修复体的表面粗化；
提升粘结力400%以上 正畸美学修复必备品。

Application1: Use Aluminum oxide powder for Orthodontic aesthetic restoration.

功能二： 可使用洁牙粉进行喷砂洗牙。

Application 2: Use Tooth cleaning powder for teeth cleaning.



可通用于PTL快接头

Quick Connect With PTL

技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	AIR ABRASION MASTER WKL
对应接头 (Connect)	PTL快接 (PTL Coupling)
供气压力 (Air pressure)	0.3-0.6kgf/cm ²
使用粉末 (Use Powder)	氧化铝粉 (Alumina Oxide Powder) 30-90μm
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



产品特色：

在冷却水的作用下可直接用于口内局部微糙化操作(水源由牙椅控制，砂粉由机柄工作键控制)。有效降低粉末干扰。

Product Features:

Alumina sandblasting system comes with a cooling system, Under the action of cooling water, it can be directly used for local roughness operation in the mouth

2合1氧化铝喷砂枪快接款

2IN1 ALUMINUM OXIDE SANDBLASTER WITH WATER COOLING FIT KAVO QUICK COUPLER

每一次升级，都蕴含着我们的用心与专业。喷砂洁牙，正畸修复二合一功能。专业智造，你值得拥有。

Every upgrade contains our intention and professionalism
Teeth cleaning and orthodontic restoration two-in-one function
Professionally made, you deserve it



枪头可360度旋转
灵活旋转，适用在所有部位操作
Nozzle can rotate 360 degrees
Flexible rotation

技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	AIR ABRASION MASTER WKL
对应接头 (Connect)	KV快接 (KV Coupling)
供气压力 (Air pressure)	0.3-0.6kgf/cm ²
使用粉末 (Use Powder)	氧化铝粉 (Alumina Oxide Powder) 30-90μm
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



具有防回吸装置
有效防止砂粉回流管道而导致堵塞
Equipped with anti suction device
Prevent sand powder from flowing back



快插式连接，方便快捷
高效操作，节约接管时间
Quick plug connection
Efficient operation, saving time



可通用于KV快接头
Quick Connect With KV

2合1氧化铝喷砂枪内喷水

2IN1 MicroblasterPlus INTERNAL WATER SPRAY

内喷水设计·使砂粉与水更好的融为一体·效果极佳

Alumina oxide powder and teeth cleaning powder are commonly use Sandblasting teeth cleaning orthodontic aesthetic restoration two-in-one



可拆卸枪头 疏通更简单
Detachable head



内喷水设计 喷砂均匀
Internal water spray



可拆卸手柄 方便清洁
Detachable handle



安全开关 操控自如
Air Lock Switch Easy to control



带防回吸装置
Anti-suckback



Use Teeth cleaning powder



Use Alumina oxide powder

技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	Microblaster Plus
对应接头 (Connect)	2孔、4孔 (2Hole、4Hole)
供气压力 (Air pressure)	0.7-2.0bar (700-2000hPa)
使用粉末 (Use Powder)	氧化铝粉 (Alumina Oxide Powder) 30-90μm
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



2合1氧化铝喷砂枪内喷水

2IN1 Ortho Microblaster INTERNAL WATER SPRAY

45度斜瓶子·人性化设计·握持感更好·长时间操作不累手

45 degree angled bottle with humanized design, better grip, Long term operation is more comfortable



技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	Ortho Microblaster
对应接头 (Connect)	2/4孔、PTL / KV快接 (2/4Hole、PTL / KV Coupling)
供气压力 (Air pressure)	0.7-2.0bar (700-2000hPa)
使用粉末 (Use Powder)	氧化铝粉 (Alumina Oxide Powder) 30-90μm
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



内喷水设计 喷砂均匀
Internal water spray



可拆卸手柄 方便清洁
Detachable handle



带防回吸装置
Anti-suckback

可支持接头: (CONNECT)



负压式抽吸系统

DENTAL DUST COLLECTOR



平放竖放，使用自如



小尺寸 (Small size)



大尺寸 (Big size)

技术参数

型号: Dental Farm	噪音: 42dBA
电压频率: 220 ± 22/50-60(V/Hz)	产品尺寸: 34x27x18.5cm(小) / 34x34x18.5cm(大)
额定功率: 45w	包装尺寸: 39.5x23.5x23.5cm(小) / 40x39x25cm(大)
风量: 250-260m³/h	产品重量: 4.5KG(小) / 5KG(大)
转速: 2200R/min	包装重量: 5.5KG(小) / 6KG(大)
风速: 9.5m/s	

TECHNICAL PARAMETER

Model: Dental Farm	Noise: 42dBA
Voltage frequency: 220 ± 22/50-60(V/Hz)	Product size: 34 × 27 × 18.5cm (small) / 34 × 34 × 18.5cm (big)
Rated power: 45w	Packaging size: 39.5 × 23.5 × 23.5cm (small) / 40 × 39 × 25cm (big)
Air volume: 250-260m³/h	Product weight: 4.5KG (small) / 5KG (big)
Speed: 2200R/min	Packaging weight: 5.5KG (small) / 6KG (big)
Wind speed: 9.5m/s	



产品特点FEATURES:

- 1、防漏电保护装置，保护电器、避免伤害，让操作全程无忧;
- 2、采用高效离心风机，进行特殊化降噪处理，使风力更稳定，运行更静音;
- 3、进口超清亚克力透视窗+12V 内置式 LED 柔光灯带，保护眼睛、更安全
- 4、红、绿双色分体式控制开关，根据需要随心控制，节约时间、提高效率;
- 5、抽屉式滤芯集尘，双重过滤，排尘快捷、方便，更有利于操作者身心健康;
- 6、整机铝合金喷砂氧化设计，轻便小巧、摆放由心、连接简单，更可满足不同性质粉尘的收集和清理。

1. Using high-efficiency centrifugal fan, special noise reduction treatment, so that the wind is more stable and the operation is quieter;
2. Imported ultra-clear acrylic see-through window + 12V built-in LED soft light belt to protect eyes and be safer;
3. Red and green two-color split control switch, which can be controlled as needed, saving time and improving efficiency;
4. The anti-leakage protection device protects electrical appliances and avoids damage, making the operation worry-free throughout;
5. Drawer-type filter element collects dust and double-filtered, which is fast and convenient for dust discharge, which is more conducive to the physical and mental health of the operator;
6. The aluminum alloy sandblasting and oxidation design of the whole machine is light and small, easy to place, simple to connect and can meet the collection and cleaning of different types of dust

⚠ 当仪器累计使用500小时，更换滤芯!!

台式喷砂洁牙机

DESKTOP DENTAL AIR PROPHY MACHINE

全新升级具有一键清洁，空气过滤干燥，砂粉流量调节，气压调节双重防回吸功能。
不易堵，手柄多节拆卸方便疏通，喷砂洁牙好帮手！

One-click cleaning, air filtration and drying, sand powder flow adjustment

Air pressure adjustment dual anti-suckback functions

Not easy to clog, the multi-section handle can be disassembled and easily unclogged

A good helper for teeth.Cleaning polishing



可拆卸软管
Detachable hose



可拆卸手柄
Detachable handle



技术参数

型号(MODEL): MY Protector

对应接头(CONNECT): 4孔、2孔 (4HOLE、2HOLE)

水流量(DISCHARGE): 50-80ml/min

供气压力(PRESSURE): 3.5-4.5bar (3500-4500hPa)

供水压力(WATER PRESSURE): 0.7-2.0bar (700-2000hPa)

产品特点:

1、逆止装置，保护牙椅

机体内新增了砂粉防倒流装置，可有效保护牙椅及管路的清洁和卫生；

2、粉末过滤，不易堵枪

喷砂机内装有空气过滤系统，可完全防止因空压机内产生的湿气、油气而造成砂粉结块而影响喷砂的流畅度；

3、水气分离，一键干燥

砂粉、供水同管不通路，使喷砂更均匀、出水更有力；同时加装了排水、气按钮，避免了短时间未启用喷砂洁牙机而产生砂粉结块的状况；

4、机柄可拆，快速洁牙

快插式手柄及分体式喷嘴，可360度灵活旋转，更方便随时随地进行高温高压消毒，使洁牙更舒心、更高效。

Product Features:

1. Refractory device, protective dental unit

The interior of the body has added powder anti-backflow device, which can effectively protect the cleanliness and hygiene of dental unit pipelines.

2. Powder filtration, no blocking

The sandblasting machine is equipped with an air filtration system that can completely prevent the generation of oil and water due to the humidity in the air compressor.

3. Water vapor separation, one bond drying

Powder, water, air separately control, so that more uniform powder injection more powerful water; At the same time, drainage was installed, air button to avoid the situation of XP Airflow machine agglomeration due to the short time when the machine is not enabled.

4. Handle removable, quick tooth cleaning

Handle, pipeline and fuselage can be split and easy to assemble, easy to handle anytime and anywhere for high temperature disinfection And maintenance, make cleaning more comfortable more efficient.

喷砂洁牙机

DENTAL AIR PROPHY JET



聚焦 灵活 舒适

FOCUS FLEXIBILITY COMFORT



360度均匀喷砂，出砂细腻，
舒适洁牙不酸痛。
360 degree water spray



可拆卸喷嘴，消毒方便，操作
方便。
Removable nozzle



大容量储砂体，保证足够的治
疗时间。
Big capacity powder tank



快插式手柄，更可360度灵活
旋转。
Quick connect handle



可和所有国内外品牌的牙椅
快速连接，高效便携。
Various connectors available

技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	XP AIRFLOW
对应接头 (Connect)	2孔、4孔、各种快接 (2Hole、4Hole、Coupling)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供水压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80/ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



可支持接头: (CONNECT)



PTL 快接
(PTL Coupling)



QD-J 快接
(QD-J Coupling)



KV 快接
(KV Coupling)



Sirona 快接
(Sirona Coupling)



W&H 快接
(W&H Coupling)



Bien Air 快接
(Bien Air Coupling)



ISO 标准4孔
(4HOLE)

喷砂洁牙机

DENTAL PROPHY MATE AIR POLISHER



龈上喷砂，有效去除牙菌斑、色素、牙石
Supragingival sandblasting, effectively remove dental plaque, pigmentation, and tartar




龈下洁治，清洁邻接面、种植体和基台污垢
Subgingival scaling, Interproximal surface
Implant and abutment tartar scaling



大容量储砂体，保证足够的治疗时间
Large capacity sand storage body Ensure sufficient treatment time



快插式手柄，可360度灵活旋转，全方位喷砂
Quick insertion handle, can rotate flexibly
360 degrees, and sandblasting in all directions



技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	PROPHY-MATE
对应接头 (Connect)	2/4孔、KV / PTL快接 (2/4Hole、KV / PTL Coupling)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供水压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm

可支持接头: (CONNECT)



ISO 标准2孔
(2HOLE)



ISO 标准4孔
(4HOLE)



PTL 快接
(PTL Coupling)



KV 快接
(KV Coupling)





喷砂洁牙机

JET PRO DENTAL AIR PROPHY JET

具有龈上喷砂和龈下洁治两个功能，实现全面的喷砂洁牙护理。

It has supragingival and subgingival sandblasting functions to achieve comprehensive sandblasting and cleaning.



技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	JET PRO
对应接头 (Connect)	2孔、4孔、KV快接 (2Hole、4Hole、KV Coupling)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供气压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80/ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



可支持接头: (CONNECT)



喷砂洁牙机

AIR JET DENTAL AIR PROPHY JET

龈上喷砂能有效去除牙龈上的牙石、菌斑和色渍，龈下洁治可去除牙周袋内的牙菌斑和结石。
Supragingival sandblasting can effectively remove tartar, plaque, stains on the gums,
Subgingival scaling can remove plaque and stones in periodontal pockets



360度出砂孔，喷砂均匀。
360 degree sand hole
Uniform sandblasting



水气分离，喷砂有力。
Water gas separation
Strong sandblasting



大透视储砂室，时刻观察砂量。
Large perspective sand storage body
Always observe capacity



快插式手柄，可360度旋转。
Quick plug handle
Can rotate 360 degrees




龈上喷砂手柄
Supragingival handle



龈下洁治手柄（选配）
Subgingival handle (Optional)



技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	Air Jet
对应接头 (Connect)	2/4孔、KV / PTL快接 (2/4Hole、KV / PTL Coupling)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供气压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80/ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



可支持接头: (CONNECT)



ISO 标准2孔
(2HOLE)



ISO 标准4孔
(4HOLE)



KV 快接
(KV Coupling)

钛合金喷砂洁牙机

TITANIUM ALLOY DENTAL PROPHYFLOW

钛合金材质手柄，轻便耐用，加长喷砂手柄和连接管均设计操作舒适。

枪头采用360° 喷砂设计出砂更均匀。

标配快速疏通器，一吹即通，疏通不再是难题。

The titanium alloy handle is lightweight and durable,The extended handle and connecting tube are designed for comfortable operation


Comes with a quick dredge, which can be unclogged with just one blow, making dredging no longer a problem



钛金材质，久经耐用
Titanium material, durable

全机身可耐高温消毒
Can be sterilized at high temperatures

配备疏通器，便于堵塞时清理
Have Blower Nozzle ,Easy to block and clean



360度均匀喷砂，出砂细腻，舒适洁牙不酸痛。
360 degree uniform sandblasting, comfortable teeth cleaning without soreness.



快插式手柄，更可360度灵活旋转。
Quick insertion handle for 360 degree flexible rotation.






大容量储砂体，保证足够的治疗时间。
Large capacity sand storage body ensures sufficient treatment time

技术参数（TECHNICAL PARAMETER）	
产品型号（Model）	PROPHY FLOW
对应接头（Connect）	2孔、4孔（2Hole、4Hole ）
供气压力（Air pressure）	2.5-4.0bar （2500-4000hPa）
供水压力（Water pressure）	0.7-2.0bar （700-2000hPa）
水流量（Water flow）	50-80/ml/min
使用粉末（Use Powder）	洁牙喷砂粉（Teeth Cleaning Powder） 65-85μm



喷砂洁牙机

METAL AIR PROPHY UNIT



三角孔砂、水分离设计,使喷砂更有力、出水更均匀,不飞溅、不易堵。

Triangle hole sand and water separation design makes sandblasting more powerful. Effluent is more uniform, not splashing or easily clogged.



快插式枪头, 可360旋转及134度高温灭菌消毒,操作便捷。

Quick insertion gun head, capable of 360° rotation and 134 ° C high temperature sterilization and disinfection, easy to operate.



大容量储砂体, 保证足够的治疗时间。

Large capacity sand storage body ensures sufficient treatment time.

技术参数 (TECHNICAL PARAMETER)

产品型号 (Model)	AIR PROPHY P02
对应接头 (Connect)	2孔、4孔 (2Hole、4Hole)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供水压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80/ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm

产品特征:

- 1、自带防回吸装置,有效防止砂粉和水气倒流保护牙椅管路的清洁和卫生;
- 2、2孔/4孔和快接可选,适合国内外各品牌牙椅,连接方便, 适用性广;

Product features:

1. Equipped with an anti backflow device, it effectively prevents sand powder and water vapor from flowing back to protect the cleanliness and hygiene of the dental chair pipeline;
2. 2-hole/4-hole and quick connect options are available, suitable for dental chairs of various brands both domestically and internationally, with convenient connection and wide applicability;

喷砂洁牙机

EASY-JET P01S AIR POLISHER

Economical and easy to use




产品特征:

- 1、自带防回吸装置,有效防止砂粉和水汽倒流保护牙椅管路的清洁和卫生;
- 2、2孔/4孔和快接可选,适合国内外各品牌牙椅,连接方便,适用性广;
- 3、通过黏膜刺激《生物学试验方案》无口腔粘膜刺激性。

Product features:

1. Equipped with an anti backflow device, it effectively prevents sand powder and water vapor from flowing back to protect the cleanliness and hygiene of the dental chair pipeline;
2. 2-hole/4-hole and quick connect options are available, suitable for dental chairs of various brands both domestically and internationally, with convenient connection and wide applicability;
3. There is no oral mucosal irritation through mucosal stimulation according to the biological test protocol.



三角孔砂、水分离设计,
使喷砂更有力、出水更均匀。
Triangle hole sand and water
separation design



可拆卸软嘴, 消毒更方便
Detachable Rubber
for easy disinfection



快插式枪头, 可360旋转及134度
高温灭菌消毒,操作便捷。
Quick insertion gun head, capable
of 360 ° rotation



大容量储砂体, 保证足够的治疗时间。
Large capacity sand storage body
ensures sufficient treatment time.




技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	Easy-jet P01S
对应接头 (Connect)	2孔、4孔 (2Hole、4Hole)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供水压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80/ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



彩色洁牙机

RAINBOW COLORFUL AIR POLISHER BASIC STYLE



五种颜色可供选择
(Five Colors)

技术参数 (TECHNICAL PARAMETER)

产品型号 (Model)	Rainbow P01
对应接头 (Connect)	2孔、4孔 (2Hole、4Hole)
供气压力 (Air pressure)	2.5-4.0bar (2500-4000hPa)
供水压力 (Water pressure)	0.7-2.0bar (700-2000hPa)
水流量 (Water flow)	50-80/ml/min
使用粉末 (Use Powder)	洁牙喷砂粉 (Teeth Cleaning Powder) 65-85μm



洁牙喷砂粉

TOOTH CLEANING AND SANDBLASTING POWDER



洁牙粉是一种球形颗粒粉末，设计用于在牙齿表面平滑滚动并穿透所有角落进行快速清洁。粉末颗粒的球形减少了对牙齿和软组织损伤的可能性，同时快速安全地去除污渍和牙菌斑。

Cleaning powder is a sphericalparticulate powder designed to roll smoothly over tooth surfaces andpenetrate all corners for rapid cleaning. The spherical shape of thepowder granules lessens the likelihood of damage to teeth and soft tissuewhile removing stains and plaque quickly and safely.

*Adverse reactions to this product are rare.

- 三个口味可选 (Three flavors to choose)
- 每瓶含量500g (500g/bottle)



三个口味可选，每瓶含量130g

- Three flavors to choose from
- Each bottle contains 130 g



无味适合敏感人群，每瓶含量130g

- No taste, suitable for sensitive individuals
- Each bottle contains 130 g



包装在盒子里，包含12克×48小袋

- Stylishly packaged in a handyoriginal box.
- Contains 48 x 12g sachets

产品型号 Model	PT-X1	MY-Powder	MY-Powder	MY-Powder
净含量 Capacity	130G/瓶装 130g/bottle	130G/瓶装 130g/bottle	500G/瓶装 500g/bottle	12G/48包盒装 12gx48 bags/box
粉末味道 Taste	无味 Tasteless	 草莓 Strawberry	 薄荷 Mint	 柠檬 Lemon
颗粒规格 Specifications	65-85微米 (µm)			
成份 Ingredients	食用香精，碳酸氢钠 Edible essence, sodium bicarbonate			
储存条件 Storage	干燥且通风的环境 Dry environment			

氧化铝喷砂粉

ALUMINUM OXIDE SANDBLASTING POWDER



460G



/瓶装

产品型号：AP-13

30微米适用范围(30 Micron Applicable Range)

30微米(即700目)用于瓷或树脂修复体缺损再修复治疗中的表面微粗化。

30 microns (700 mesh) are used for the surface repair treatment of defects in porcelain or resin restorations Micro roughening.





产品型号：AP-14

50微米适用范围(50 Micron Applicable Range)

50微米(即360目)用于二次粘接前去除原有粘接层水门汀;金属铸造修复体缺陷检测。

50 microns (360 mesh) are used to remove the original adhesive layer cement before secondary bonding; Metal casting Repair body defect detection.




产品型号：AP-15

90微米适用范围(90 Micron Applicable Range)

90微米(即180目)用于瓷冠、树脂、纤维桩及托槽包括金属表面进行均匀微粗化处理，以提高粘接强度。

90 microns (180 mesh) are used for porcelain crowns, resins, fiber posts, and brackets, including metal surfaces Perform uniform micro roughening treatment to improve adhesive strength.



钛金款气动洁牙机

AIR SCALER

Comfortable teeth cleaning, a good helper for dentists



● 可使用洁牙头：金属工作尖（K1、K2、K3）

金属洁牙头，可适用于龈上及邻接部，对重症/中度牙结石去除有显著效果。

Use Tips: Metal working tips (K1、K2、K3)

Metal dental cleaning head suitable for gingival and adjacent areas, has a significant effect on the removal of severe/moderate dental calculus



● 可使用洁牙头：塑料工作尖（根管荡洗）

白色塑料荡洗洁牙头，可适用于牙体表面进行清洁和对根管残余物进行荡洗。

Use Tips: Plastic working tip (root canal cleaning)

White plastic swash cleaning head, suitable for cleaning the surface of teeth and swash residual root canal debris



荡洗效果图

Swinging and washing effect diagram

技术参数 (TECHNICAL PARAMETER)

产品型号 (Model)	Airs-M / C KT
对应接头 (Connect)	4孔、2孔 (4Hole、2Hole)
供气压力 (Air pressure)	0.3-0.4Mpa
水流量 (Water flow)	50ml/min
噪声 (Noise)	≤80dB

KV款气动洁牙机



AIR SCALER

Comfortable teeth cleaning, a good helper for dentists

白色塑料荡洗洁牙头，可适用于牙体表面进行清洁和对根管残余物进行荡洗
White plastic swash cleaning head
suitable for cleaning the surface of teeth and swash residual root canal debris

金属洁牙头，可适用于龈上及邻接部，对重症/中度牙结石去除有显著效果
Metal dental cleaning head, suitable for gingival and adjacent areas
has a significant effect on the removal of severe/moderate dental calculus



技术参数 (TECHNICAL PARAMETER)	
产品型号 (Model)	Airs-M / C K
对应接头 (Connect)	4孔、2孔 (4Hole、2Hole)
供气压力 (Air pressure)	0.3-0.4Mpa
水流量 (Water flow)	50ml/min
噪声 (Noise)	≤80dB



配件明细 (PACKING LIST)

基础款气动洁牙机

AIR SCALER

Comfortable teeth cleaning, a good helper for dentists



产品用途:

- 1、全方位去除龈上大块结石和牙斑，包括相邻牙间的缝隙区域。
- 2、由空气进行驱动，无电磁干扰，使治疗过程更加舒适，适合任何患者采用。
- 3、标配三种洁牙头，可适用于龈上及邻接部，对重症/中度牙结石去除有显著效果。

Product Usage:


1. Remove large supragingival stones and dental plaques in all directions, including the gap area between adjacent teeth.
2. Driven by air, without electromagnetic interference, making the treatment process more comfortable and suitable for any patient.
3. Three types of teeth cleaning heads are standard and can be applied to the gingiva and adjacent areas, with significant effects on the removal of severe/moderate dental calculus.



配件明细 (PACKING LIST)

技术参数 (TECHNICAL PARAMETER)

产品型号 (Model)	Airs-M / C N
对应接头 (Connect)	4孔、2孔 (4Hole、2Hole)
供气压力 (Air pressure)	0.3-0.4Mpa
水流量 (Water flow)	50ml/min
噪声 (Noise)	≤80dB



树脂加热器

RESIN HEATER

三个温度模式 · 9个加热孔 · 可满足多种树脂材料器械加热

3 temperature modes. 9 heating holes can meet the heating needs of various resin material instruments



加热复合物、麻醉剂、琼脂
Heating composite, anesthetic, agar




加热手持工具
Heating filling instrument



加热注射器
Heating filling instrument

温度	指示灯颜色	加热中	达到预设温度
40℃	蓝色	蓝色灯闪亮	蓝色灯常亮
50℃	绿色	绿色灯闪亮	绿色灯常亮
70℃	黄色	黄色灯闪亮	黄色灯常亮




Temperature	Indicator Light Color	Heating	Reach The Undefined Temperature
40℃	Blue	Bule Light Glistens	Bule Light Normally On
50℃	Green	Green Light Glistens	Green Light Normally On
70℃	Yellow	Yellow Light Glistens	Yellow Light Normally On

技术参数

电源适配器：	输入：100-240v 50/60Hz 输出：12VDC 3A
主机：	功率：30W 温度设定：40℃、50℃、70℃
孔径：	大孔：φ 30mm 中孔：φ 16mm 小孔：φ 13mm
孔深：	深度：约 73.8mm

TECHNICAL PARAMETER

AC Adapter:	Input: 100-240v 50/60Hz Output: 12VDC 3A
Host :	Power: 30W Temperature setting: 40℃、50℃、70℃
Aperture :	Large Hole: φ 30mm Medium Hole: φ 16mm Small Hole: φ 13mm
Hole Depth :	Depth: About 73.8mm







小孔×2
Small Hole×2
中孔×6
Medium Hole×6
大孔×1
Large Hole×1



开关电源按钮
Power switch button
温度切换按钮
Temperature toggling button
充电口
charging port


喷砂洁牙机配件
Spare Parts


配件名称 Accessory Name	图例 Picture
货号 Code:T1001 炫彩喷砂枪头 Rainbow polisher Handle	
货号 Code:T1002 金属喷砂枪头 Metal polisher Handle	
货号 Code:T1003 Easy-jet喷砂枪头 Easy-jet Handle	
货号 Code:T1004 XP喷砂枪头 XP Airflow Handle (Fit NSK-Prophy Mate)	
货号 Code:T1005 Prophy-mate EP枪头 Prophy-mate EP Handle (Fit NSK-Prophy Mate neo)	
货号 Code:T1006 Prophy-mate NP枪头 Prophy-mate NP Handle (80° Fit NSK-Prophy Mate neo)	
货号 Code:T1007 Prophy-mate NP枪头 Prophy-mate NP Handle (120° Fit NSK-Prophy Mate neo)	
货号 Code:T1008 PROPHY FLOW枪头 PROPHY FLOW nozzle	
货号 Code:T1009 Prophy-mate 可调水量枪头(龈下) Prophy-mate Adjustable Subgingival Handle (Fit NSK-Prophy Mate neo)	
货号 Code:T1010 Perio-mate 可调水量枪头(龈下) Perio-mate Adjustable Subgingival Handle (Fit NSK-Perio-Mate)	

配件名称 Accessory Name	图例 Picture
货号 Code:T1011 Air jet喷砂枪头(龈下) Air jet Handle(Subgingival) 通用 Fit AIR-FLOW HANDY 3.0	
货号 Code:T1012 Air jet喷砂枪头(龈上) Air jet Handle(Supragingival) 通用 Fit AIR-FLOW HANDY 3.0	
货号 Code:T1013 台式喷砂机手柄(龈下) 通用 Fit AIR-FLOW S1/S2 MASTER/PIEZON(Subgingival)	
货号 Code:T1014 台式喷砂机手柄(龈上) 通用 Fit AIR-FLOW S1/S2 MASTER/PIEZON(Supragingival)	
货号 Code:T1015 JET PRO喷砂枪头(龈下) JET PRO Handle Subgingival 通用 Fit AIR-FLOW HANDY PERIO	
货号 Code:T1016 JET PRO喷砂枪头(龈上) JET PRO Handle Supragingival 通用 Fit AIR-FLOW HANDY 2.0	
货号 Code:T1017 JET PRO喷砂枪头(龈下) JET PRO Handle Subgingival 通用 Fit AIR-FLOW HANDY PERIO	
货号 Code:T1018 JET PRO喷砂枪头(龈上) JET PRO Handle Supragingival 通用 Fit AIR-FLOW HANDY 2.0	
货号 Code:T1019 JET PRO喷砂枪头(龈下) JET PRO Handle Subgingival 通用 Fit AIR-FLOW HANDY PERIO	
货号 Code:T1020 JET PRO喷砂枪头(龈上) JET PRO Handle Supragingival 通用 Fit AIR-FLOW HANDY 2.0	

喷砂洁牙机配件
Spare Parts

配件名称 Accessory Name	图例 Picture
货号 Code:T1021 XP喷砂手柄 XP Airflow Handle (Fit NSK-Prophy Mate)	
货号 Code:T1022 Prophy-mate NP手柄 Prophy-mate NP Handle (Fit NSK-Prophy Mate neo)	
货号 Code:T1023 Prophy-mate 可调水量手柄 Prophy-mate Adjustable Handle (Fit NSK-Prophy Mate neo)	
货号 Code:T1024 Perio-mate 可调水量手柄 Perio-mate Adjustable Handle (Fit NSK-Perio-Mate)	
货号 Code:T1025 XP Airflow 枪嘴 XP Airflow Nozzle (Fit NSK-Prophy Mate)	
货号 Code:T1026 Prophy-mate NP 枪嘴 Prophy-mate NP Nozzle (80° Fit NSK-Prophy Mate neo)	
货号 Code:T1027 Prophy-mate NP 枪嘴 rophy-mate Nozzle (120°Fit NSK-Prophy Mate neo)	
货号 Code:T1028 Prophy-mate 可调水量枪嘴(龈下) Prophy-mate Adjustable Nozzle Subgingival (Fit NSK-Prophy Mate neo/Perio-Mate)	
货号 Code:T1029 Microblaster Plus氧化铝喷砂枪手柄 Microblaster Plus Head	
货号 Code:T1030 Ortho Microblaster 氧化铝喷砂枪手柄 Ortho Microblaster Handle	

配件名称 Accessory Name	图例 Picture
货号 Code:T1031 氧化铝喷砂枪头 不带喷水款 Aluminum sandblaster Without water Nozzle Aperture (0.4mm、0.6mm、0.7mm)	
货号 Code:T1032 氧化铝喷砂枪头 带喷水款 Aluminum sandblaster With water spray Nozzle Aperture (0.4mm、0.6mm、0.7mm)	
货号 Code:T1033 氧化铝喷砂枪头 内喷水款 Aluminum sandblaster Internal water spray style Nozzle Aperture (0.4mm、0.6mm、0.7mm)	
货号 Code:T1034 氧化铝负压喷砂枪头 通用Fit DENTO-PREP	
货号 Code:T1035 氧化铝喷砂枪 不带水款接头4孔 Aluminum sandblaster Without water Connect 4Hole	
货号 Code:T1036 氧化铝喷砂枪 不带水款接头2孔 Aluminum sandblaster Without water Connect 2Hole	
货号 Code:T1037 氧化铝喷砂枪储砂瓶 Aluminum sandblaster Powder bottle	
货号 Code:T1038 台式喷砂机手柄管线 (长度194cm) Air prophy machine tube (Include handle) Length: 194cm	
货号 Code:T1039 台式喷砂机线 (长度185cm) Air prophy machine tube (Not include handle) Length: 185cm	




高速手机 - 卫生机头系列



技术参数

额定工作气压 (MPa) : 0.2-0.25 MPa
额定工作气压转速 (RPM) : 标准头 300, 000-400,000RP / 大头 250, 000-350,000RPM
额定水压 (MPa) : 0.1-0.25MPa
额定雾化气压 (MPa) : 0.2-0.3MPa
光照强度 (LUX) : >1500LUX
机芯形式: 敞开机芯
适用车针: ϕ 1.59-1.60mm
连接方式: B2/M4 NSK-QDB2/M4



高速手机 - 全镀钛系列



技术参数

额定工作气压 (MPa) : 0.2-0.25 MPa
额定工作气压转速 (RPM) : 标准头 300, 000-400,000RP / 大头 250, 000-350,000RPM
额定水压 (MPa) : 0.1-0.25MPa
额定雾化气压 (MPa) : 0.2-0.3MPa
光照强度 (LUX) : >1500LUX
机芯形式: 筒夹机芯
适用车针: ϕ 1.59-1.60mm
连接方式: B2/M4 NSK-QDB2/M4



高速手机 - 卫生机头系列



技术参数

额定工作气压 (MPa) :	0.2-0.25 MPa
额定工作气压转速 (RPM) :	标准头 300, 000-400,000RP / 大头 250, 000-350,000RPM
额定水压 (MPa) :	0.1-0.25MPa
额定雾化气压 (MPa) :	0.2-0.3MPa
光照强度 (LUX) :	>1500LUX
机芯形式:	筒夹机芯
适用车针:	φ 1.59-1.60mm
连接方式:	B2/M4 NSK-QDB2/M4



高速手机 - 自发光系列



技术参数

额定工作气压 (MPa) :	0.2-0.25 MPa
额定工作气压转速 (RPM) :	标准头 300, 000-400,000RP
额定水压 (MPa) :	0.1-0.25MPa
额定雾化气压 (MPa) :	0.2-0.3MPa
光照强度 (LUX) :	>1500LUX
机芯形式:	筒夹机芯
适用车针:	φ 1.59-1.60mm
连接方式:	B2/M4

高速手机 - 无影灯系列

五孔高精度冷却 360度无影照明



技术参数

额定工作气压 (MPa) : 0.22-0.3 MPa
额定工作气压转速 (RPM) : 300,000-320,000RPM
额定水压 (MPa) : 0.2-0.25MPa
额定雾化气压 (MPa) : 0.3-0.35MPa
机芯形式: 敞开机芯
适用车针: ϕ 1.59-1.60mm
电机输出电源: 3.0-3.4W
连接方式: B2/M4 NSK-QDB2/M4



MY-503

MY-504

头小 好用

一款专为儿牙设计的高速手机!




技术参数

额定工作气压 (MPa) : 0.22-0.28 MPa
额定工作气压转速 (RPM) : 390,000-450,000RPM
额定水压 (MPa) : 0.2-0.25MPa
额定雾化气压 (MPa) : 0.3-0.35MPa
光照强度 (LUX) : ϕ 8.8 $\times$ H9.15mm
机芯形式: 敞开机芯
适用车针: ϕ 1.59-1.60mm (适用短柄或超短柄车针)
连接方式: B2/M4 NSK-QDB2/M4



MY-803 MY-804

MY-805 MY-806



高速手机 - 经典款系列



MY-704 MY-705 MY-903 MY-904 MY-606

技术参数

额定工作气压 (MPa) :	0.2-0.25 MPa
额定工作气压转速 (RPM) :	标准头 300, 000-400,000RP / 大头 250, 000-350,000RPM
额定水压 (MPa) :	0.1-0.25MPa
额定雾化气压 (MPa) :	0.2-0.3MPa
光照强度 (LUX) :	>1500LUX
机芯形式:	筒夹机芯
适用车针:	φ 1.59-1.60mm
连接方式:	B2/M4

高速手机 - 彩色手机系列



MY-901

技术参数

额定工作气压 (MPa) :	0.2-0.25 MPa
额定工作气压转速 (RPM) :	300, 000-400,000RP
额定水压 (MPa) :	0.1-0.25MPa
额定雾化气压 (MPa) :	0.2-0.3MPa
光照强度 (LUX) :	>1500LUX
机芯形式:	敞开机芯
适用车针:	φ 1.59-1.60mm
连接方式:	B2/M4



MY-902



高速手机 - 光纤 200C 系列



可通用于PTL快接头

高速手机 - 光纤 SUPER-MAX 系列

技术参数
额定工作气压 (MPa) : 0.22-0.32 MPa
额定工作气压转速 (RPM) : 350, 000-400,000RPM
额定水压 (MPa) : 0.2-0.25MPa
额定雾化气压 (MPa) : 0.3-0.35MPa
机芯形式: 筒夹机芯
适用车针: ϕ 1.59-1.60mm
连接方式: NSK Machlite/Phatelus



可通用于KV快接头

技术参数
额定工作气压 (MPa) : 0.28-0.32 MPa
额定工作气压转速 (RPM) : 350, 000-400,000RPM
额定水压 (MPa) : 0.2-0.25MPa
额定雾化气压 (MPa) : 0.3-0.35MPa
机芯形式: 敞开机芯
适用车针: ϕ 1.59-1.60mm
连接方式: Kavo MULTfelx LUX

低速手机系列 Low Kits Series



MY-1007
低速外水道手机 I
Low speed Kits I



MY-1006
低速外水道手机 II
Low speed Kits II



MY-1009
低速外水道手机 III
Low speed Kits III



MY-1003
低速内水道手机 I
Inner water channer low speed handpiece I



MY-1001
低速内水道手机 II
Inner water channer low speed handpiece II



MY-1002
低速内水道手机 III
Inner water channer low speed handpiece III

技术参数

转速比 (Ratio) : 1:1
最大转速 (Rotae speed) : ~40, 000rpm
适用车针 (Bur applicable) : $\phi 2.345$ – $\phi 2.355$ mm
噪声 (Noise) : ≤ 65 dB

减速弯机 Reduction Contra Angle



MY-1102
4:1 16:1 20:1 64:1
speed reduction push
button contra angle
按压减速弯机



MY-1103
4:1 16:1 20:1 64:1
speed reduction clip
card type contra angle
卡片式减速弯机



MY-1104
10:1 speed reduction
contra angle
按压左右往复弯机



MY-1105
4:1 IRP interproximal
enamel
邻面去釉弯机



MY-1106
4:1 speed reduction
contra angle
邻面去釉弯机



DJZ-100-1 车针长度: 100mm 车针直径: $\phi 2.35$ mm
DJZ-45-2 车针长度: 45mm 车针直径: $\phi 2.35$ mm
DJZ-70-1 车针长度: 70mm 车针直径: $\phi 2.35$ mm
DJW-100-1 车针长度: 100mm 车针直径: $\phi 2.35$ mm
DJW-45-2 车针长度: 45mm 车针直径: $\phi 2.35$ mm
DJW-70-1 车针长度: 70mm 车针直径: $\phi 2.35$ mm
DJW-45-3 车针长度: 45mm 车针直径: $\phi 2.35$ mm



截骨手机 SURGICAL HANDPIECES

牙科、种植、骨科、耳鼻喉、上颌窦提升、开窗取骨、磨骨外科手术等用途
Orthopedics, implants, maxillary sinus lifting, bone removal and bone grinding.

低速弯机
Contra Angle



MY1101 MY1102 MY1103 MY1104 MY1105 MY1106 MY1107 MY1108



MY1109 MY1110 MY1111 MY1112 MY1113 MY1114 MY1115 MY1116

MY1101	1:1 弯机	MY1109	16:1 光纤种植弯机
MY1102	1:1 光纤弯机	MY1110	4:1 光纤种植弯机
MY1103	20:1 种植弯机 (W)	MY1111	1:1 LED弯机 (K)
MY1104	20:1 LED种植弯机	MY1112	1:5 增速弯机
MY1105	20:1 光纤种植弯机	MY1113	1:5 光纤增速弯机
MY1106	20:1 种植弯机 (S)	MY1114	1:5 迷你光纤增速弯机
MY1107	20:1 种植弯机	MY1115	1:4.2 光纤内水道仰角弯机
MY1108	20:1 LED种植弯机	MY1116	1:4.2 光纤外水道仰角弯机

骨刀手机
Saw Handpieces



型号 / Type:	XTDZ-7	XTDZ-8	XTDZ-9
传动比 / Transmission ratio:	3.2:1	4:1	1:1
行程角度 / Strokes or angles:	1.8 mm	3°	17°
频率(动作/分钟) / Frequency(strokes/min.):	12,300	12,300	11,800
最大驱动速度 / Maximun drive speed:	40,000 min ⁻¹	40,000 min ⁻¹	15,000 min ⁻¹

低速直机
Low Speed Stright



MY1117 MY1118 MY1119

型号 / Type:			
传动比 / Transmission ratio:	1:1	1:1	1:1
光源/ Light source:	光纤 Optical Fiber	光纤 Optical Fiber	无 NO
最大驱动速度 / Maximun drive speed:	40,000 min ⁻¹	40,000 min ⁻¹	40,000 min ⁻¹

手机配件

Dental Handpiece spare parts

手机机芯
Handpiece Cartridge
For NSK

		Order Code
	PANA Air MINI 取针Wrench	MY01-A
	PANA Air MINI	MY01-B
	PANA Air Standard 取针Wrench	MY01-C
	PANA Air Standard	MY01-D
	PANA Air Torque 取针Wrench	MY01-E
	PANA Air Torque	MY01-F
	PANA Max Standard 取针Wrench	MY01-G
	PANA Max Standard	MY01-H
	PANA Max Torque 取针Wrench	MY01-I
	PANA Max Torque	MY01-J
	PANA Max2	MY01-K
	PANA Max2 取针Wrench	MY01-L
	PANA Max3 MU PLUS M500L/DY-M500LG	MY01-M
	PANA Max3 SU PLUS M500L/DY-M500LG	MY01-N
	TI Max X500 X500L	MY01-O
	TI Max X600 X450L/X450QD	MY01-P
	TI Max X700L	MY01-Q
	TI Max Z800L	MY01-R
	TI Max Z900L	MY01-S

For Sirona

	Order Code
	Dentsply Sirona T2/T3 Boost S MY02-A
	Dentsply Sirona T2 / T3 mini S MY02-B
	Sirona T2 / T3 racer MY02-C
	Sirona T2 / T3 mini MY02-D
	Sirona New T3 MY02-E
	Sirona New T3 mini MY02-F
	Sirona T4 MY02-G
	Dentsply Sirona New T3/T4 MY02-H

For KV

	Order Code
	KV 605S MY03-A
	KV 636/646/625CD 507C MY03-B
	KV 640/640B/630 625 MY03-C
	KV 645/645C/645-J 632/633/639/642 MY03-D
	KV S619C MY03-E
	KV E680L MY03-F
	KV 8000/8000B MY03-G
	KV 9000L MY03-H

For W&H

	Order Code
	W&H TA-98 TE-95BC MY04-A
	W&H TA-96/617 MY04-B
	W&H TA-97 MY04-C
	W&H TE-95RM MY04-D
	W&H TE-97LQ MY04-E

轴承
Bearing

	NSK钢珠 φ 6.35× φ 3.175×2.38	MY245-1
	NSK陶瓷 φ 6.35× φ 3.175×2.38	MY245-2
	NSK KV 带台阶 φ 6.35× φ 3.175×5.97×2.38×1.34	MY245-3
	W&H单法兰 φ 6.35× φ 3.175×2.38	MY245-4
	W&H Sirona钢珠 φ 6.35× φ 3.175×2.78	MY245-5
	W&H Sirona陶瓷 φ 6.35× φ 3.175×2.78	MY245-6
	KV 带台阶 φ 6.35× φ 3.175×2.78	MY245-7
	Midwest单法兰 φ 6.35× φ 3.175×2.78	MY245-8
	Star单法兰带槽 φ 6.35× φ 3.175×2.78	MY245-9
	W&H双法兰 φ 6.35× φ 3.175×2.78	MY245-10
	Sirona一体 φ 6.35× φ 3.175×2.78	MY245-11
	彼岸 φ 7.938× φ 3.175×3.571	MY245-12

手机风轮
Handpiece Impeller
For NSK

	Order Code
	PANA Max Standard MY21-1
	PANA Max Torque MY21-2
	Ti Max X500L MY21-3
	Ti Max X600L MY21-4
	Ti Max X700L MY21-5
	Ti Max Z900L MY21-6

For Sirona

	Dentsply Sirona T2/T3 Boost S MY21-7
	Dentsply Sirona T2 / T3 mini S MY21-8
	Sirona T2 / T3 racer MY21-9
	Sirona T2 / T3 mini MY21-10
	Sirona New T3 MY21-11
	Sirona New T3 mini MY21-12
	Sirona T4 MY21-13
	Dentsply Sirona New T3/T4 MY21-14

For KV

	Order Code
	KV 636 MY21-15
	KV 640 MY21-16
	KV 645 MY21-17
	KV 650PB MY21-18
	KV 8000/8000B MY21-19
	KV 655 MY21-20

For W&H

	W&H TE-95RM MY21-21
	W&H TA-96 MY21-22
	W&H TA-97 MY21-23
	W&H TE-95RM MY21-24
	W&H TE-97LQ MY21-25

机芯轴
Cartridge shart
For NSK/Sirona/W&H/KV

	Push button L:9.8mm L:10.8mm L:11.7mm L:11.8mm L:12.3mm L:12.6mm L:12.7mm	MY-21-26 L:12.8mm L:13.4mm L:13.5mm L:13.65mm L:13.75mm L:13.95mm L:14.2mm
	Wrench L:12.5mm L:13.5mm	MY-21-27

弯机传动轴
Contra angle shaft

	Order Code
	MY-22-16 Shaft 1: 1 contra angle for NSK Ti-max 25/25L 1: 1 弯机轴
	MY-22-17 Shaft 1: 5 contra angle for NSK Ti-max X95/95L 1: 5 弯机轴
	MY-22-18 Shaft implant contra angle for NSK SG20 20: 1 种植弯机轴
	MY-22-19 Shaft fiber optic implant contra angle for NSK SG20L 20: 1 光纤种植弯机轴
	MY-22-20 Shaft LED implant contra angle for NSK DSG20L 20: 1 LED种植弯机轴
	MY-22-21 Shaft Latch type contra angle for NSK 203C 卡片弯机轴
	MY-22-22 Shaft push button contra angle for NSK 203C 按压弯机轴
	MY-22-23 Shaft push button contra angle for FX23/25 按压弯机轴
	MY-22-24 Shaft internal push button contra angle W 内水道按压弯机轴

弯机机芯
Contra angle cartridge

	MY-22-25 Cartridge 1: 1 contra angle for NSK Ti-max 25/25L 1: 1 弯机芯
	MY-22-26 Cartridge 1: 5 contra angle for NSK Ti-max X95/95L 1: 5 弯机芯
	MY-22-27 Cartridge implant contra angle for NSK SG20/SG20L 20: 1 / 20: 1 光纤种植弯机芯
	MY-22-28 Cartridge of Latch type contra angle 卡片弯机芯
	MY-22-29 Cartridge push button contra angle for 203C 按压弯机芯
	MY-22-30 Cartridge push button contra angle for FX23/25 按压弯机芯
	MY-22-31 Cartridge internal push button contra angle W 内水道按压弯机芯

手机配件

Dental Handpiece spare parts

Contra angle head 弯机机头	Order Code
	MY-22-32 Head for FX23 push button contra angle FX23按压弯机头
	MY-22-33 Head for 203C push button contra angle 按压弯机头
	MY-22-34 Head for 203C Latch type contra angle 卡片弯机头
	MY-22-35 Head for 203 Latch type contra angle 老款卡片弯机头
	MY-22-36 Head for BB Latch type contra angle BB弯机头
	MY-22-37 Head for MINI Latch type contra angle 迷你弯机头
	MY-22-38 Head for internal push button contra angle 内水道弯机头
	MY-22-39 Head for KaVo push button contra angle KaVo高速按压弯机头
	MY-22-40 Head for KaVo push button contra angle KaVo低速按压弯机头
	MY-22-41 Head for polisher contra angle 抛光弯机头

Endo motor head 根治机扩头	Order Code
	MY-22-42 1 : 1 Endomotor head 1 : 1 无线根治机头
	MY-22-43 16 : 1 Endomotor head 16 : 1 无线根治机头
	MY-22-44 1 : 1 Endomotor head 1 : 1 无线根治机头
	MY-22-45 16 : 1 Endomotor head 16 : 1 无线根治机头
	MY-22-46 6 : 1 Endomotor head 6 : 1 无线根治机头
	MY-22-47 1 6 : 1 Endomotor head 1 : 1 无线根治机头

Quick coupling 手机快接头	Order Code
	MY-22-01 (LED) Quick coupling for NSK PTL (2hole) LED快接头2孔
	MY-22-02 (LED) Quick coupling for NSK PTL (4hole) LED快接头4孔
	MY-22-03 (LED) Quick coupling for NSK PTL (6hole) 光纤快接头6孔
	MY-22-04 Quick coupling for W&H (6hole) 光纤快接头6孔
	MY-22-05 (LED) Quick coupling for Sirona (6hole) 光纤快接头6孔
	MY-22-06 Quick coupling for Sirona (4hole) 快接头4孔
	MY-22-07 Quick coupling for Bien-air (4hole) 快接头4孔
	MY-22-08 Quick coupling for KV (4hole) 快接头4孔
	MY-22-09 (LED) Quick coupling for KV (6hole) 光纤快接头6孔
	MY-22-10 (LED) Quick coupling for KV (4hole) 光纤快接头4孔
	MY-22-11 (LED) Quick coupling for KV (2hole) 光纤快接头2孔
	MY-22-12 Quick coupling for Sinol (4hole) 快接头4孔
	MY-22-13 Quick coupling for NSK QD (4hole) 快接头4孔
	MY-22-14 Quick coupling for NSK QD (2hole) 快接头2孔
	MY-22-15 Adaptor (2hole to 4hole) 转接头2孔转4孔
	MY-22-16 Adaptor (4hole to 2hole) 转接头4孔转2孔

Handpiece tube 手机管	Order Code
	MY-T-1704 T-1704 4Hole handpiece tube T-1704 4孔手机管 (进口)
	MY-T-1706 T-1706 6Hole optical fiber handpiece tube T-1706 6孔光纤手机管 (进口)
	MY-K2005 KV K2005 6Hole optical fiber Handpiece tube (Regular style) KV K2005专用6孔光纤手机管 (进口常规款)
	MY-K2240 KV K2240 6Hole optical fiber Handpiece tube (with induction style) KV K2240专用6孔光纤手机管 (进口带感应款)
	MY-S2053 Sirona S2053 6Hole optical fiber Handpiece tube Sirona S2053专用6孔光纤手机管 (进口)
	MY-C1973 Cefla/Anthos/Castellini C1973 6Hole optical fiber Handpiece tube 赛特伟邦/安福士/卡斯特里尼 C1973 专用6孔光纤手机管 (进口)
	MY-C2030 Cefla/Anthos/Castellini C2030 6Hole optical fiber Handpiece tube 赛特伟邦/安福士/卡斯特里尼 C2030 专用6孔光纤手机管 (进口)

洁牙机配件
Scaler spare parts



MY-HW-3H
scaler handpiece
with LED
洁牙机手柄



MYH-3H
scaler tube
without LED
洁牙机尾线



MY-HW-5L
scaler handpiece
with LED
洁牙机手柄



MYH-5L
scaler tube
with LED
洁牙机尾线



MY-HD-7H
scaler handpiece
with LED
洁牙机手柄



MYH-7H
scaler tube
without LED
洁牙机尾线



MY-HD-7L
scaler handpiece
with LED
洁牙机手柄



MYH-7L
scaler tube
with LED
洁牙机尾线



MY-HD-7HS
scaler handpiece
with LED
洁牙机手柄



MY-AB5
quick coupling
for scaler
洁牙机接头

内置洁牙机
Built-in Ultrasonic Scaler



MY-N2



MY-N2LED



MY-N2



MY-N2LED



with tips key



with 5 tips



power eegulator

Ultrasonic Scaler fixed (build-in)

- 1.fixed handpiece
- 2.can use thinner tips
- 3.very compact
- 4.build-in style
- 5.volume:18*15*6.3

主机输入: Host input	AC24V 1A
输出功率: Output power	7~17 (VA)
工作频率: Working frequency	30±3K HZ
供水压力: Feed water pressure	0.01Mpa~0.5Mpa
重量: The weight of the	0.9kg
尺寸: Size	90mm*66mm*33mm

强弱吸配件
Suction hose/head



MY-SC01
高端强吸头
Strong suction head
15mm&17mm



MY-SC02
高端弱吸头
Weak suction head
8mm&11mm



MY-SC03
简易强吸头
Strong suction head
17mm



MY-SC04
简易强吸头
Strong suction head
15mm



MY-SC05
简易弱吸头
Weak suction head
11mm



MY-SC06
简易弱吸头
Weak suction head
8mm



MY-SC07
简易强吸头
Strong suction head
12mm



MY-SC08
简易弱吸头
Weak suction head
8mm



MY-SC09
不锈钢硅胶弱吸头
Stainless steel&silicagel
weak suction 9mm



MY-SC10
不锈钢硅胶弱吸头
Stainless steel&silicagel
weak suction 9mm



MY-SC11
金属强吸头
Metal strong suction
13mm



MY-SC12
金属强吸头
Metal strong suction
13mm



MY-SC13
金属弱吸头
Metal Weak suction
8mm




MY-SC14
金属弱吸头
Metal Weak suction
8mm



MY-SC14
金属弱吸头
Metal Weak suction
8mm



MY-SC16
金属弱吸头
Metal Weak suction
6mm



MY-SC17
塑料弱吸头
Plastic Weak suction
8mm



MY-SC18
塑料弱吸头
Plastic Weak suction
8mm




MY-SC19
强吸鸭嘴
suction aspirator



MY-SC20
强吸鸭嘴
suction aspirator



MY-SC21
弱吸转换头
suction conversion



MY-SC22
弱吸软嘴
suction rubber



MY-SC23
弱吸软嘴
suction rubber



MY-SC24
弱吸转换头
suction conversion
(soft)



强弱吸管 Strong Weak suction tube

长度(Length):1.7米 (1.7m) 长度(Length):10.5米 (10.5m)

内径(Inside diameter): 内径(Inside diameter):

MY-SC25	8mm	MY-SC30	8mm
MY-SC26	11mm	MY-SC31	11mm
MY-SC27	15mm	MY-SC32	15mm
MY-SC28	17mm	MY-SC33	17mm
MY-SC29	19mm	MY-SC34	19mm



排污管 Drain tube

长度(Length):2米 (2m) 长度(Length):5米 (5m)

内径(Inside diameter): 内径(Inside diameter):

MY-SC35	18mm	MY-SC37	18mm
MY-SC36	25mm	MY-SC38	25mm



MY-SC39
强吸转换头
suction adaptor



MY-SC40
弱吸转换头
suction adaptor



MY-SC41
强吸接头
suction connect
17mm



MY-SC42
强吸接头
suction connect
15mm



MY-SC43
弱吸接头
suction connect
11mm



MY-SC44
弱吸接头
suction connect
8mm

电子类系列
Electronic type products



二合一无线马达
Cordless Endodentic Motor
MY-E05



二合一无线马达
Cordless Endodentic Motor
MY-EM12



麻药助推仪
Anesthesia Injector
MY-AX01



种植电动扳手
Implant Electric Wrench
MY-IW-01



正畸电动抛光机
Orthodontics Propy Motor
MY-PM02



电动抛光机
Propy Motor
MY-PM01



外置电动马达
Electric Motor
MY-BY1



外置电动马达
Electric Motor
MY-BY2



内置电动马达
Electric Motor
MY-BY3

电子类系列
Electronic type products

主机 Host	电源电压/ Power supply voltage : AC 100-240V
	电源频率/ Power supply frequency: 50/60Hz
	输入功率/ Input power: 150VA
	尺寸/ Dimension: 286mmx252mmx113mm
	重量/ Weight: 4.35Kg
超声波手柄 Ultrasonic handpiece	尺寸/ Dimension: 直径φ 21mmx110mm
	尾线长度/ Tail cord length: 1.8m
脚踏板Foot controller pedal	尾线长度/ Tail cord length: 2.0m
工作频率Working frequency	24kHz~3 6kHz
水流量Flow	30-110ml/min
操作环境 Operation environment	a)环境湿度/ Environment temperature: +5°C~ +40°C
	b)相对湿度/ Relative humidity: 30%-75%
	c)大气压力/ Atmosphere pressure: 70kPa~106kPa



超声波骨刀机
Ultrasonic Bone Surgery
MY-SG01

主机 Host	电源电压/ Power supply voltage : ~100-240V
	电源频率/ Power supply frequency: 50/60Hz
	输入功率/ Input power: 150VA
	尺寸/ Dimension: 286mmx252mmx113mm
	重量/ Weight: 2.9Kg
马达 Motor	转速范围 Rotating speedrange: 200-40000rpm
	扭矩范围 Torquerange:5-80Ncm (转速比:20:1 Speed ratio: 20:1)
	输入电压 Iput voltage:DC30V
	尺寸/ Dimension: 直径φ21.5mmx108mm
	尾线长度/ Tail cord length: 1.8m
	尾线长度/ Tail cord length: 2.0m
脚踏Pedal	尾线长度/ Tail cord length: 2.0m



种植机
Implanter
MY-IM02

美白仪
Teeth whitening unit



放大镜/头灯
Loupes/Head light



电子类系列
Electronic Type Products



光固化机
Led Light Curing
MY-LE01



光固化机
Led Light Curing
MY-LE02



光固化机
Led Light Curing
MY-LE03



光固化机
Led Light Curing
MY-LE04



光固化机
Led Light Curing
MY-LE11



光固化机
Led Light Curing
MY-LE12



除雾镜
Fog Free Photo
MY-K05




银汞调和机
Amalgamator
MY-460



超声波清洗机
Ultrasonic Cleaner Machine
MY-4820

电子类系列
Electronic Type Products



封口机
Sealing Machine
MY-320



封口机
Sealing Machine
MY-350



蒸馏水机
Water Distiller
MY-420



封口机
Sealing Machine
MY-330



封口机
Sealing Machine
MY-370



蒸馏水机
Water Distiller
MY-430



封口机
Sealing Machine
MY-340



封口机
Sealing Machine
MY-380



B级三次预真空消毒柜
Class B Autoclave
MY-ST005

电子类系列
Electronic type products



无线根管治疗仪
Cordless Endodontic Motor
MY-E03



无线根管治疗仪
Cordless Endodontic Motor
MY-E01



无线根管治疗仪
Cordless Endodontic Motor
MY-E02



根管预备机
Cordless Endodontic Motor
MY-E04



热熔笔
Obturation Pen
MY-K02



热熔笔
Obturation Pen
MY-K06



牙胶尖切断器
Gutta Cutter
MY-K03



牙胶尖切断器
Gutta Cutter
MY-K01



牙髓活力测量仪
Pulp Tester
MY-K04

电子类系列
Electronic type products



根管治疗仪
Cordless Endodontic Motor
MY-E05



根管长度治疗仪
Apexlocator
MY-AP05



迷你根管长度测量仪
MINI Apexlocator
MY-AP06



热牙胶填充系统
Gutta Pereha Obturation System
MY-K07



无线根管荡洗笔
Endo Cleaning Sonic
MY-K08



口腔观察仪
Intra Oral Camera
MY-MC01



移动负压系统
Mobile Suction Unit
MY-V600



手机注油养护机
Handpiece Lubricant Machine
MY-L4



便携式涡轮机
Portable Tjurbine
MY-DT01

超声波清洗机
Ultrasonic cleaner



Order code MY-4800
Power:150W
Capacity :1.5L
Timer:5cycles with digital timer display
超声波清洗机



Order code MY-4820
Power:160w
Capacity :2.5L
超声波清洗机



Order code MY-4900
Power:200w
Capacity:5L
Digital timer display
超声波清洗机



Order code MY-4850
Capacity :2L/3.2L/4.5L/6.5L/10L/15L/22L/30L
超声波清洗机



Order code MY-460
银汞调和机
☆ amalgamator
☆ Voltage AC110-220v
☆ Power 30w
☆ Mixing frequency 2960RPM~4200RPM
☆ Mix time4~40s
☆ G.W2.2KG




Order code MY-450
银汞调和机
☆ amalgamator
☆ Voltage AC220v
☆ Power 200w
☆ Mixing frequency 4500tr/mn(cpm)
☆ Mix time1~99s



Order code MY-451
银汞胶囊
☆ Amalgam Capsule

封口机、蒸馏水机
Sealing machine & water distiller



Order code MY-320
封口机
☆ Voltage AC110v-240v
☆ Power 100w
☆ Seal width12mm
☆ Seal length 25cm
☆ Seal duration 3min
☆ Wall-mount/desktop



Order code MY-340
封口机
☆ Voltage AC110v-240v
☆ Power 500w
☆ Seal width10mm
☆ Seal length 250mm



Order code MY-330
封口机
☆ Direct heating sealing machine
☆ Working power: AC220V ± 22V
☆ 50Hz ± 1Hz,
☆ Exporting Rate: 500W
☆ The most width of the seal: 320mm
☆ The impression width: 10mm
☆ Machine Dimensions: 36.5x32.2x12.5cm
☆ Package Dimension: 46x37.5x24cm



Order code MY-350
封口机
☆ Voltage AC110v-240v
☆ Power 500w
☆ Seal width10mm
☆ Seal length 300mm



Order code MY-420
蒸馏水机
☆ Voltage AC110v-240v
☆ Power 750w
☆ Output:26L/day
☆ Capacity:4L



Order code MY-430
蒸馏水机
☆ Voltage AC110v-240v
☆ Power 750w
☆ Output:26L/day
☆ Capacity:4L
☆ Stainless steel

实验室器械系列
Laboratory Apparatus



90门诊打磨机
90 Outpatient Service Grinding Machine
MY-LB001



204技工打磨机
204 Mechanic Grinding Machine
MY-LB002



204主机
204 Host
MY-LB003

实验室器械系列
Laboratory Apparatus



真空成型机
Vacuum Former
MY-LB021



石膏震荡器
Round Vibrator
MY-LB022



石膏修整机
Model Trimmer
MY-LB023



90主机
90 Host
MY-LB004



E型打磨机手柄
E-Type Grinding Machine Handle
MY-LB039



E型打磨机手柄
E-Type Grinding Machine Handle
MY-LB040



电蜡刀
Electric Wax Knife
MY-LB024



超薄电蜡刀
Ultra-Thin Wax Knife
MY-LB042



电感应加热器
Wax Heater
MY-LB025



打磨机手柄（门诊型）
Grinding Machine Handle(outpatient service type)
MY-LB005



打磨机手柄（技术型）
Grinding Machine Handle(mechanic tuype)
MY-LB006



打磨机手柄（技术型）
Grinding Machine Handle(mechanic tuype)
MY-LB041



三槽熔蜡器
Wax Pot
MY-LB026



塑板种钉机
Plastic Board Pin
MY-LB027



离心机
Centrifugal Machine
MY-LB043

传感器/防护服
Sensor/Lead gown



DLK-C11/12



DLK-C33



DLK-C33-3



DLK-C33-2



DLK-C501



DLK-C23/24



DLK-C25



DLK-C27B



DLK-C27



DLK-C27A



DLK-C28



DLK-C28P



DLK-500B/600B



DLK-500A/600A



DLK-500/600



DLK-C64



DLK-C29




DLK-C43



DLK-C44



DLK-R1/R2



DLK-C35



DLK-35B



DLK-C36



DLK-C52/53



DLK-C56/57



DLK-C58

X光机/辅助材料
X-ray unit/Accessories

口腔灯 Dental lamp



MKY-P112



MKY-P102



MKY-P152



MKY-P117



MKY-P123



MKY-P127



MKY-P111



MKY-P125



MKY-P128



MKY-P115



MKY-P103



MKY-P113



MKY-P126



MKY-P106A



MKY-P118



MKY-P136

医生座椅 Dentist stool



MKS-016



MKS-018



MKS-024



MKS-026



MKS-028



MKS-029



MKS-034



MKS-039



MKS-041



MKS-042



MKS-045



MKS-047



MKS-048



MKS-049



MKS-050